

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S47	17233	output near3 (pin port) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:54
S48	6716	input near3 (pin port) near5 (clock frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:03
S49	640	S47 same S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:50
S50	5108	selective\$2 near3 clock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:50
S51	17	S49 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:50
S52	17946	output near3 (pin port) near5 (data command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:55
S53	2491	oscillator near3 (pin port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:55
S54	0	S48 same S52 same S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:55
S55	649	S48 same S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:56

S56	11	S55 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:01
S57	2224	clock near3 (input output) near3 pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:02
S58	4249	clock near3 (input output) near3 (pin port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:02
S59	418	S48 same S52 same S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:03
S60	161493	generat\$3 near5 clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:03
S61	347	S55 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:03
S62	94	S55 same S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:03
S63	1608	receiv\$3 with input near3 (pin port) near5 (clock frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:04
S64	149	S52 same S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:04
S65	42	S64 same S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:04

S66	344	external near3 clock with input near3 (pin port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 09:17
S67	14625	output\$4 near3 (data command) with output near3 (pin port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 09:19
S68	123	S66 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 09:19
S69	3871	output\$4 near3 (clock frequency) with output near3 (pin port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 09:19
S70	70	S68 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 09:31
S71	1984	select\$5 near8 clock near5 source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 09:33
S72	75	S71 with (internal and external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 09:33
S73	15	S72 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 09:33